


AD 5764-150



1.



-1-

2.


OFF/ON

ZERO



-2-

AD-5764-150

3.



-3-



-4-

4.

OFF


ON

ZERO

-5-

5.

SR44 1



-6-

6.

7.

-7-



8.

0 150mm	1
0 01mm	233(L) × 77(W) × 15(H) mm
± 0.01mm	165g()
(25) ± 0.03mm	
1.5 /	
0 40 80%RH	
-10 60 80%RH	ABS
SR44× 1	



-8-

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

3.



-3-



-4-

4.

OFF/ON


ZERO

-5-

5.

SR44

1



-6-

6.

7.

-7-

8.

	: 0 200mm(AD 5764-200)		SR44	1
	: 0 300mm(AD 5764-300)		1	
	: 0.01mm		285(L) × 88(W) × 15(H)mm(AD 5764-200)	
	: ± 0.01mm		380(L) × 105(W) × 15(H)mm(AD 5764-300)	
25	: ± 0.03mm 0 200		180g () (AD5764-200)	
	: ± 0.04mm 200 300		240g () (AD5764-300)	
	: 1.5 /		()	
	: 0 40 80RH ()			ABS
	: -10 60 80RH ()			

-8-

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

AND 株式会社 **エーアンドデイ**

170-0013 3-23-14

TEL.03-5391-6126 FAX.03-5391-6129